



The Leader in Integrated  
Fire Doors and Smoke  
Curtain Technology

Integrated Doors

Fire Protective Smoke Curtains

Door Systems  
1150 S Las Brisas  
Placentia, CA 92870  
(866) 534-DOOR (3667)



*Door Systems Newsletter*


February 2024

## INTEGRATED DOORS AND SMOKE & FIRE CURTAINS by Door Systems



**DSI-HHS10B**  
HOSE STREAM RATED  
HORIZONTAL  
FIRE CURTAIN


UL 10B  
UP TO 120 MINUTES



### Introducing DSI-HHS10B Hose Stream Rated Horizontal Fire Curtain

A Horizontal UL 10B rated fire curtain with a 120-minute rating!

The **DSI-HHS10B Hose Stream Rated Horizontal Fire Curtain** is a breakthrough product for architects who want to compartmentalize large floor openings while reducing or eliminating mechanical smoke evacuation systems. It is a cutting-edge solution that effectively prevents smoke and fire from spreading through the ceiling and atrium voids, stairwells, and skylights.



**Compliant with:**

- **UL 10B: With Hose Stream – 120 minutes**
- **ASTM E84: Class A Surface Building Characteristics of Building Materials**
- **UL 864: Control Units for Fire Protective Signaling Systems**
- **Lightweight Fire Rated Fiberglass Fabric**



DSI-HHS10B Horizontal Fire Curtain- Furnance Test

Experience unmatched flexibility and convenience like never before. Don't let space constraints hold you back. Transform your space up to 32 feet wide by 32 feet long; for larger sizes, **contact us.**



DSI-HHS10B Horizontal Fire Curtain- Enduring Hose Stream Test

The **DSI-HHS10B Horizontal Fire Curtain** is a game-changer that incorporates the latest technology of our **UL 10D curtain products**. It has been tested and labeled to UL 10B with Hose Stream for up to 120 minutes, making it a powerful and trustworthy solution.


HEAD BOX DIMENSIONS BASED ON CURTAIN LENGTH				TAIL END BOX DIMENSIONS	
UP TO 10' IN LENGTH		UP TO 23' IN LENGTH		UP TO 32' IN LENGTH	
OPENING SIZE		HEADBOX		TAIL END BOX	
CURTAIN LENGTH	CURTAIN WIDTH	WIDTH (HBW)	HEIGHT (HBH)	WIDTH (TBW)	HEIGHT (TBH)
3' 4" to 10' 0"	up to 32' 0"	15"	9"	13-3/4"	11-3/4"
10' 0" to 23' 0"	up to 32' 0"	17-3/4"	11"	13-3/4"	11-3/4"
23' 0" to 32' 0"	up to 26' 0"	18-1/4"	11-3/4"	13-3/4"	11-3/4"
<i>*For larger sizes consult the factory</i>					

### DSI-HHS10B Horizontal Fire Curtain- Headbox Matrix


This **fire curtain** comprises a light gauge compact steel headbox that houses the roller, fabric, and motor within the casing, creating a small package that remains virtually invisible until deployed. Its lightweight, proprietary multi-layered fire-rated fiberglass and stainless-steel fabric with slim steel side guides make it a reliable and efficient choice.

#### MOUNTING OPTIONS


##### FLOOR MOUNT




##### JAMB MOUNT



##### UNDER CEILING MOUNT



### DSI-HHS10B Horizontal Fire Curtain- Various Mounting Options



"The SMOKE & FIRE CONTAINMENT People"

UL 10B Hose Stream Rated Curtains

Deployable Fabric Fire Walls

Floor Opening Protection



The SMOKE and FIRE CONTAINMENT People  
[doorsysinc.com](http://doorsysinc.com)

#### UL10B HOSE STREAM RATED CURTAIN PRODUCTS

Contact **Door Systems** today to discover innovative solutions to your existing smoke and fire protection needs and **assist in the concept, design,** and layout of all future smoke and fire containment projects.



## AIA Courses for Your Team!

AIA Courses are now available for the DSI-HHS10B Horizontal Fire Curtain.

[Schedule Yours Today!](#)

You can also find us on the following:




[Click here](#) to access Door Systems's design files including BIM/Revits models, CAD drawings, specifications, videos and related documents.



For more information feel free to visit our website at [www.doorsysinc.com](http://www.doorsysinc.com) or call us at 866-534-3667

We are also available for architectural presentations, lunch and learns or come visit our showrooms.

[Download Our New Brochure!](#)



For more information feel free to visit our website at [www.doorsysinc.com](http://www.doorsysinc.com) or call us at 866-534-3667

We are also available for architectural presentations, lunch and learns or come visit our showrooms.

[Download Our New Brochure!](#)



Our mailing address is:  
Door Systems  
1150 S Las Brisas  
Placentia, CA 92870

[Download Our New Brochure!](#)



## Northern California Office

Salvador Perez  
Director of Design & Development  
587 Division Street  
Campbell, Ca 95008  
(408) 477-4300  
Cell: (714) 586-7281

Email [salvador@doorsysinc.com](mailto:salvador@doorsysinc.com)

## So California Office and other Territories

Salvador Perez  
Director of Design & Development  
1150 S Las Brisas  
Placentia, CA 92870  
(866) 534-DOOR (3667)  
Cell: (714) 586-7281

Email [salvador@doorsysinc.com](mailto:salvador@doorsysinc.com)

Sent by

